

-	30	(carcass and steel and adhesion and cobalt and salt) and phr	USPAT	2004/04/20
-	16276	cobalt same amount	USPAT	10:26
-	31	(cobalt same amount) and carcass and steel and adhesion	USPAT	2004/04/20
-	2678	b60c013/00	USPAT	10:26
-	290	b60c013/02	EPO; JPO; DERWENT	2004/04/20
-	0	sprew and (tire or tyre)	EPO; JPO; DERWENT	13:40
-	137	spew and (tire or tyre)	EPO; JPO; DERWENT	2004/04/20
-	1010	hole and (vent or air) and (tire or tyre)	EPO; JPO; DERWENT	13:58
-	976	(hole and (vent or air) and (tire or tyre)) not (spew and (tire or tyre))	EPO; JPO; DERWENT	2004/04/20
-	975	((hole and (vent or air) and (tire or tyre)) not (spew and (tire or tyre))) not b60c013/02	EPO; JPO; DERWENT	14:05
-	2	"02088310"	EPO; JPO; DERWENT	2004/04/20
-	21	spew and (tire or tyre)	USPAT	15:30
-	92332	264/\$.ccls.	USPAT	2004/04/20
-	1749	264/\$.ccls. and tire	USPAT	15:35
-	1022	(264/\$.ccls. and tire) and mold\$3	USPAT	2004/04/20
-	295	((264/\$.ccls. and tire) and mold\$3) and (vent or hole or spew)	USPAT	15:36
-	126	264/36.14	USPAT	2004/04/20
-	239	264/501	USPAT	15:41
-	1021	264/299	USPAT	2004/04/20
-	726	264/326	USPAT	15:41
-	107	264/328.3	USPAT	2004/04/20
-	2190	((264/\$.ccls. and tire) and mold\$3) and (vent or hole or spew) or 264/36.14 or 264/501 or 264/299 or 264/326 or 264/328.3	USPAT	15:41
-	526	((264/\$.ccls. and tire) and mold\$3) and (vent or hole or spew) or 264/36.14 or 264/501 or 264/299 or 264/326 or 264/328.3) and (spew or vent or hole)	USPAT	2004/04/20
-	422	straight and (sidewall or bead) and (tire or tyre)	EPO; JPO; DERWENT	2004/04/21
-	752	152/454	USPAT	10:28
-	251	152/454 and straight	USPAT	2004/04/21
-	2	"4947913"	USPAT	10:35
-	5	("0208617" "1481488" "2572259" "3835907" "4319618").PN.	USPAT	2004/04/21
-	1	4947913.URPN.	USPAT	10:39
-	0	dig.12/500	USPAT	2004/04/21
-	83	d12/500	USPAT	10:39
-	80	d12/604	USPAT	2004/04/21
-	320	d12/605	USPAT	10:39

-	1315	d12/500 opr d12/604 or d12/605	USPAT	2004/04/21 10:39
-	463	d12/500 or d12/604 or d12/605	USPAT	2004/04/21 10:46
-	920	b60c003/00	EPO; JPO; DERWENT	2004/04/21 10:46
-	821	b60c003/04	EPO; JPO; DERWENT	2004/04/21 10:47
-	1631	b60c003/00 or b60c003/04	EPO; JPO; DERWENT	2004/04/21 12:51
-	295	straight near sidewall	USPAT	2004/04/21 12:52
-	13	(straight near sidewall) and tire	USPAT	2004/04/21 14:49
-	37	straight near sidewall	EPO; JPO; DERWENT	2004/04/21 12:55
-	2	(straight near sidewall) and (tire or tyre)	EPO; JPO; DERWENT	2004/04/21 12:58
-	64361	425/\$.ccls.	USPAT	2004/04/21 12:58
-	2022	425/\$.ccls. and (tire or tyre)	USPAT	2004/04/21 12:59
-	1015	(425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)	USPAT	2004/04/21 12:59
-	752	152/454	USPAT	2004/04/21 12:59
-	412	152/523	USPAT	2004/04/21 12:59
-	1109	152/454 or 152/523	USPAT	2004/04/21 12:59
-	1007	((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523)	USPAT	2004/04/21 13:00
-	490	((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523) and (sidewall or bead)	USPAT	2004/04/21 13:00
-	557	((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523) and (sidewall or bead)	USPAT	2004/04/21 13:01
-	1007	((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523)	USPAT	2004/04/21 13:01
-	129	((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523) and straight	USPAT	2004/04/21 13:02
-	65	((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523) and straight) and (bead or sidewall)	USPAT	2004/04/21 13:05
-	435	425/28.1	USPAT	2004/04/21 13:05
-	148	425/28.1 and (bead or sidewall)	USPAT	2004/04/21 13:05
-	22	(425/28.1 and (bead or sidewall)) and straight	USPAT	2004/04/21 13:05
-	17	((425/28.1 and (bead or sidewall)) and straight) not "65"	USPAT	2004/04/21 13:06
-	6	((425/28.1 and (bead or sidewall)) and straight) not (((425/\$.ccls. and (tire or tyre)) and (vent\$3 or air or hole or groove)) not (152/454 or 152/523)) and straight) and (bead or sidewall))	USPAT	2004/04/21 13:06
-	944	tire and (vent same (air or hole))	USPAT	2004/04/21 13:06
-	276	(tire and (vent same (air or hole))) and (bead or sidewall)	USPAT	2004/04/21 13:06
-	53	((tire and (vent same (air or hole))) and (bead or sidewall)) and straight	USPAT	2004/04/21 13:08
-	435	425/28.1	USPAT	2004/04/21 13:14

-	1133	425/812	USPAT	2004/04/21 13:14
-	1516	425/28.1 or 425/812	USPAT	2004/04/21 13:14
-	829	249/141	USPAT	2004/04/21 13:14
-	2135	(425/28.1 or 425/812) or 249/141	USPAT	2004/04/21 13:14
-	350	((425/28.1 or 425/812) or 249/141) and (tire or tyre)	USPAT	2004/04/21 13:15
-	2943	straight same sidewall	USPAT	2004/04/21 14:49
-	31	(straight same sidewall) and tire and johnstone	USPAT	2004/04/21 14:49